


2026.1 MSRP FOR PLUMBING DISTRIBUTORS

Effective April 23, 2026

Direct Coil™ Electric Tankless Water Heaters


Mini™ Electro-mechanical \$279.00

231045	Mini™ 2-1	single phase	120 V, 1.8 kW	Restricted to 0.32 GPM. Ships with 0.35 GPM aerator
232098	Mini™ 2.5-1	single phase	120 V, 2.4 kW	Ships with 0.5 GPM aerator
220816	Mini™ 3-1	single phase	120 V, 3.0 kW	Ships with 0.5 GPM aerator
232099	Mini™ 3.5-1	single phase	120 V, 3.5 kW	Ships with 0.50 and 0.66 GPM aerator
222039	Mini™ 4-2	single phase	240 V, 3.5 kW / 208 V, 2.6 kW	Ships with 0.50 and 0.66 GPM aerator
220817	Mini™ 6-2	single phase	240 V, 5.7 kW / 208 V, 4.3 kW	Ships with 1.0 GPM aerator



Mini™-E Thermostatic \$360.00

236011	Mini™-E 2-1	single phase	120 V, 1.8 kW	Restricted to 0.40 GPM. Ships with 0.35 GPM aerator
236135	Mini™-E 2.5-1	single phase	120 V, 2.4 kW	Ships with 0.5 GPM aerator
236010	Mini™-E 3-1	single phase	120 V, 3.0 kW	Ships with 0.5 GPM aerator
206427	Mini™-E 3-3	single phase	277 V, 3.0 kW	Ships with 0.5 GPM aerator
236136	Mini™-E 3.5-1	single phase	120 V, 3.5 kW	Ships with 0.5 GPM aerator
236009	Mini™-E 4-2	single phase	240 V, 3.5 kW / 208 V, 2.6 kW	Ships with 0.5 GPM aerator
206428	Mini™-E 4-3	single phase	277 V, 4.1 kW	Ships with 0.5 GPM aerator
236008	Mini™-E 6-2	single phase	240 V, 5.7 kW / 208 V, 4.3 kW	Ships with (2) 0.5 GPM aerators and (1) 1.0 GPM aerator
206429	Mini™-E 6-3	single phase	277 V, 5.5 kW	Ships with (2) 0.5 GPM aerators and (1) 1.0 GPM aerator



Mini™-E models are factory set for 100°F output.

Adding a Stiebel Eltron TLC Assembly to a Mini™-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.


Copper Electric Tankless Water Heaters | Point-Of-Use Taps

Electro-mechanical models.

DHC Classic Series

						MSRP
202646	DHC 3-1 Classic	single phase	120 V, 3.0 kW	*		\$339.00
202647	DHC 3-2 Classic	single phase	240 V, 3.3 kW / 208 V, 2.5 kW	*		\$339.00
202648	DHC 4-2 Classic	single phase	240 V, 3.8 kW / 208 V, 2.9 kW	*		\$339.00
202649	DHC 4-3 Classic	single phase	277 V, 4.5 kW			\$339.00
202650	DHC 5-2 Classic	single phase	240 V, 4.8 kW / 208 V, 3.6 kW			\$339.00
202651	DHC 6-2 Classic	single phase	240 V, 6.0 kW / 208 V, 4.5 kW			\$339.00
202652	DHC 6-3 Classic	single phase	277 V, 6.0 kW			\$339.00
202653	DHC 8-2 Classic	single phase	240 V, 7.2 kW / 208 V, 5.4 kW			\$339.00
202654	DHC 9-3 Classic	single phase	277 V, 9.0 kW			\$339.00
202655	DHC 10-2 Classic	single phase	240 V, 9.6 kW / 208 V, 7.2 kW			\$339.00

*Ships with 0.5 GPM aerator




Copper Electric Tankless Water Heaters | Whole House Or Multiple Taps

Thermostatic models, electronically controlled.

Adding a Stiebel Eltron TLC Assembly to a DHC-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.

DHC-E

203671	DHC-E 8/10-2 Classic	single phase	high output	240 V, 9.6 kW / 208 V, 7.2 kW	\$419.00
			low output	240 V, 7.2 kW / 208 V, 5.4 kW	
203672	DHC-E 12-2 Classic	single phase		240 V, 12.0 kW / 208 V, 9.0 kW	\$429.00



DHC-E 8/10-2 Classic is switchable via jumper to a high kW or a low kW output. Units come factory set to the low kW output. The high kW output should be set at installation if needed.

Direct Coil™ Electric Tankless Water Heaters | Whole House Or Multiple Taps


Thermostatic models, electronically controlled.

Each model is switchable via jumper to a high kW or a low kW output. Units come factory set to the high kW output stage 2. The low kW output stage 1 should be set at installation if needed.

Adding a Stiebel Eltron TLC Assembly to a DHC-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.


DHC Trend

					MSRP
200060	DHC 3/3.5-1 Trend	single phase	high output (Stage 2)	120 V, 3.5 kW	\$329.00
			low output (Stage 1)	120 V, 3.0 kW	
200062	DHC 4/6-2 Trend	single phase	high output (Stage 2)	240 V, 6.0 kW / 208 V, 4.5 kW	\$329.00
			low output (Stage 1)	240 V, 3.8 kW / 208 V, 2.9 kW	
200063	DHC 8/10-2 Trend	single phase	high output (Stage 2)	240 V, 9.6 kW / 208 V, 7.2 kW	\$329.00
			low output (Stage 1)	240 V, 7.2 kW / 208 V, 5.4 kW	
200064	DHC 12/15-2 Trend	single phase	high output (Stage 2)	240 V, 14.4 kW / 208 V, 10.8 kW	\$329.00
			low output (Stage 1)	240 V, 12.0 kW / 208 V, 9.0 kW	




DHC-E Trend

					MSRP
200057	DHC-E 3/3.5-1 Trend	single phase	high output (Stage 2)	120 V, 3.5 kW	\$341.00
			low output (Stage 1)	120 V, 3.0 kW	
200061	DHC-E 4/6-2 Trend	single phase	high output (Stage 2)	240 V, 6.0 kW / 208 V, 4.5 kW	\$353.00
			low output (Stage 1)	240 V, 3.8 kW / 208 V, 2.9 kW	
200058	DHC-E 8/10-2 Trend	single phase	high output (Stage 2)	240 V, 9.6 kW / 208 V, 7.2 kW	\$371.00
			low output (Stage 1)	240 V, 7.2 kW / 208 V, 5.4 kW	
200059	DHC-E 12/15-2 Trend	single phase	high output (Stage 2)	240 V, 14.4 kW / 208 V, 10.8 kW	\$431.00
			low output (Stage 1)	240 V, 12.0 kW / 208 V, 9.0 kW	



DHC-E Plus

					MSRP
202145	DHC-E 8/10-2 Plus	single phase	high output (Stage 2)	240 V, 9.6 kW / 208 V, 7.2 kW	\$424.00
			low output (Stage 1)	240 V, 7.2 kW / 208 V, 5.4 kW	
200056	DHC-E 12/15-2 Plus	single phase	high output (Stage 2)	240 V, 14.4 kW / 208 V, 10.8 kW	\$470.00
			low output (Stage 1)	240 V, 12.0 kW / 208 V, 9.0 kW	



DHC-E Plus is equipped with Stiebel Eltron's German-patented, industry-exclusive Advanced Flow Control™

Whole House or Multiple Taps Electric Tankless Water Heaters

Thermostatic models, electronically controlled.


Tempra® Trend has a digital display for accurate temperature delivery and maximum energy efficiency.

Tempra® Plus has an enhanced digital display with monitors for cost savings and water flow, and two preset temperature memory keys.

Tempra® Plus is equipped with Stiebel Eltron's German-patented, industry-exclusive Advanced Flow Control™.

Tempra® Trend


239213	Tempra® 12 Trend	single phase	208, 220-240 V, 12.0 kW	\$580.00
239214	Tempra® 15 Trend	single phase	208, 220-240 V, 14.4 kW	\$766.00
239215	Tempra® 20 Trend	single phase	208, 220-240 V, 19.2 kW	\$807.00
239216	Tempra® 24 Trend	single phase	208, 220-240 V, 24.0 kW	\$848.00
239217	Tempra® 29 Trend	single phase	208, 220-240 V, 28.8 kW	\$889.00
239218	Tempra® 36 Trend	single phase	208, 220-240 V, 36.0 kW	\$980.00



Tempra® Trend Series
12 – 36 kW

Tempra® Plus

239219	Tempra® 12 Plus	single phase	208, 220-240 V, 12.0 kW	\$699.00
239220	Tempra® 15 Plus	single phase	208, 220-240 V, 14.4 kW	\$905.00
239221	Tempra® 20 Plus	single phase	208, 220-240 V, 19.2 kW	\$946.00
239222	Tempra® 24 Plus	single phase	208, 220-240 V, 24.0 kW	\$987.00
239223	Tempra® 29 Plus	single phase	208, 220-240 V, 28.8 kW	\$1,028.00
239225	Tempra® 36 Plus	single phase	208, 220-240 V, 36.0 kW	\$1,132.00



Tempra® Plus Series
12 – 36 kW

Tempra® models wired to 208 v single phase will output 75% of the 240 V rating.

Tempra® 29 & 36 models may be wired for balanced 3-phase 208 V.

Tempra® 15, 20, 24 models may be wired for unbalanced 3-phase 208 V.


Products can be mixed in one order to get to a lower price bracket, or to get prepaid shipping. A \$75.00 crating charge applies to SBB 300 and SBB 400 tanks only. There is no crating charge for the Accelerera®, SB-E tanks, or the SBB 600 tank. The Accelerera®, SB-E tanks, and SBB tanks are always FOB West Hatfield.

UltraHot™ | Instant Hot Water Dispenser

Near-boiling water dispenser with patented altitude-sensing technology that automatically sets highest output temperature.

Compatible with several models of InSinkErator® instant hot dispenser tanks and taps

203876	UltraHot Plus®	single phase	120 V, 750 W, Residential use	\$469.00
203877	UltraHot Premium®	single phase	120 V, 1440 W, Residential or light commercial use	\$539.00
603885	UltraHot Plus® + Mono-Tap Bundle	UltraHot Plus with Chrome Mono-Tap		\$649.00
603886	UltraHot Plus® + Mono-Tap Bundle	UltraHot Plus with Brushed Nickel Mono-Tap		\$649.00
203885	UltraHot® Mono-Tap	chrome finish	UltraHot faucet dispenses near-boiling water	\$320.00
203886	UltraHot® Mono-Tap	brushed nickel finish	UltraHot faucet dispenses near-boiling water	\$320.00
203887	UltraHot® 3in1 Tap	chrome finish	UltraHot faucet dispenses hot, cold, & near-boiling water	\$511.00
203888	UltraHot® 3in1 Tap	brushed nickel finish	UltraHot faucet dispenses hot, cold, & near-boiling water	\$511.00




Small Tank Electric Water Heaters | Point-Of-Use or Whole House

With T&P valve installed.


SHC Mini-tank

233219	SHC 2.5	2.5 gal., 120 V, 1.3 kW, single phase	\$289.00
234046	SHC 4	4 gal., 120 V, 1.3 kW, single phase	\$319.00
235089	SHC 6	6 gal., 120 V, 1.3 kW, single phase	\$429.00






PSH Wall-mounted tank

235968	PSH 20 Plus	21 gal., 240 V, 3.27 kW, single phase	\$749.00
235969	PSH 30 Plus	32 gal., 240 V, 3.27 kW, single phase	\$799.00
328651	PSH Plus Drain Pan	wall-mounted	\$69.00



Tankless Accessories


502346	Mini™-E TLC Assembly UPC 413.1 compliant temperature limiting control for Mini™-E, completely assembled, includes ASSE 1070 mixing valve	\$320.00
581012	DHC-E TLC Assembly UPC 413.1 compliant temperature limiting control for DHC-E, completely assembled, includes ASSE 1070 mixing valve	\$307.00
550457	ASSE 1070 Mixing Valve for Mini™-E 3/8" comp. mixing valve alone for Mini™-E	\$109.00
550455	ASSE 1070 Mixing Valve for DHC-E 1/2" mixing valve alone for DHC-E	\$109.00
540444	Lead-free Brass Isolation Valve Kit Cold inlet & hot outlet isolation valves, pressure relief valve	\$228.00
540000	Flow-aid Tankless Descaling Kit 3.5 gal. bucket, 350 GPH pump, 2 5' rubber hoses, 1 qt. fluid	\$332.00
540002	Flow-aid Fluid Refill 1 quart	\$47.00



Touchless Automatic Hand Dryers | High Speed

Ultronic™ Plus		Alpine white polycarbonate housing, HEPA filter, UV light, switchable heating element	\$505.00
205634	Ultronic™ 1 Plus	120 V, 820 W, single phase	
205635	Ultronic™ 2 Plus	240 V, 750 W / 208 V, 640 W, single phase	
Ultronic™ Premium		Brushed stainless steel housing, HEPA filter, UV light, switchable heating element	\$580.00
205636	Ultronic™ 1 Premium	120 V, 820 W, single phase	
205637	Ultronic™ 2 Premium	240 V, 750 W / 208 V, 640 W, single phase	

Ultronic™ Plus
Ultronic™ Premium




Electric Space Heaters | Surface-mounted Fan

CK Trend \$219.00

236304	CK 150-1 Trend	120 V, 1.5 kW, single phase
236305	CK 200-2 Trend	240 V, 2.0 kW / 208 V, 1.8 kW, single phase

120 volt models equipped with cord and plug. 240 volt models hardwired.




CK Plus \$330.00

202031	CK 150-1 Plus	120 V, 1.5 kW, single phase
202032	CK 200-2 Plus	240 V, 2.0 kW / 208 V, 1.5 kW, single phase

120 volt models equipped with cord and plug. 240 volt models hardwired.


CK Plus



CK Premium \$378.00

202033	CK 150-1 Premium	120 V, 1.5 kW, single phase
202034	CK 200-2 Premium	240 V, 2.0 kW / 208 V, 1.5 kW, single phase

120 volt models equipped with cord and plug. 240 volt models hardwired.




Electric Space Heaters | Surface-mounted Convection

CON Premium convection heater

202025	CON 100-1 Premium	120 V, 1.0 kW, single phase	\$385.00
202026	CON 150-1 Premium	120 V, 1.5 kW, single phase	\$438.00
202027	CON 100-2 Premium	240 V, 1.0 kW / 208 V, .75 kW, single phase	\$385.00
202028	CON 150-2 Premium	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$438.00
202029	CON 200-2 Premium	240 V, 2.0 kW / 208 V, 1.5 kW, single phase	\$474.00
202030	CON 300-2 Premium	240 V, 3.0 kW / 208 V, 2.25 kW, single phase	\$529.00

120 volt models equipped with cord and plug. 240 volt models hardwired.

CON Premium



Electric Space Heaters | Surface-mounted Convection

CNS Trend convection heater


201991	CNS 100-1 Trend	120 V, 1.0 kW, single phase	\$252.00
201992	CNS 150-2 Trend	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$298.00

120 volt model equipped with cord and plug. 240 volt model hardwired.


CNS Plus convection heater

201994	CNS 100-1 Plus	120 V, 1.0 kW, single phase	\$314.00
201996	CNS 150-1 Plus	120 V, 1.5 kW, single phase	\$361.00
201997	CNS 100-2 Plus	240 V, 1.0 kW / 208 V, .75 kW, single phase	\$314.00
201998	CNS 150-2 Plus	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$361.00
201999	CNS 200-2 Plus	240 V, 2.0 kW / 208 V, 1.5 kW, single phase	\$409.00
202000	CNS 300-2 Plus	240 V, 3.0 kW / 208 V, 2.25 kW, single phase	\$455.00

120 volt models equipped with cord and plug. 240 volt models hardwired.



CNS Trend




CNS Plus


Heat Pump Water Heaters

True heat pump water heater.

233058	Accelera® 220 E 240 V	\$3,399.00
	58 gal., 2.15 kW max power input	
233059	Accelera® 300 E 240 V	\$3,599.00
	80 gal., 2.15 kW max power input	



Accelera®
220 E



Accelera®
300 E

Domestic Hot Water Storage Tanks

For solar thermal, geothermal, or indirectly-fired applications.

234110	SB 300 E	79 gal., single coil, integral resistance element	\$2,599.00
234111	SB 400 E	106 gal., single coil, integral resistance element	\$2,899.00
187873	SBB 300 Plus	81 gal., dual coil	\$2,999.00
187874	SBB 400 Plus	109 gal., dual coil	\$3,099.00
187875	SBB 600 Plus	163 gal., dual coil	\$4,999.00

